


2025
COLLECTION




mah

400X1200MM

THICKNESS : **9MM**

mach



ONTARIO ICE MOON

R-2

400X1200MM

THICKNESS : 9MM

ONTARIO

SERIES



ONTARIO ICE BAR

R-2

mach



ONTARIO NERO MOON

R-2

400X1200MM

THICKNESS : 9MM

ONTARIO


SERIES



ONTARIO NERO BAR

R-2

mach



TITANIUM CEMENTO


R-4

400X1200MM

THICKNESS : 9MM

TITANIUM



SERIES



TITANIUM CEMENTO CURVE

R-4

mach



TITANIUM CEMENTO


R-4

400X1200MM

THICKNESS : 9MM

TITANIUM

SERIES



TITANIUM CEMENTO SPIRAL

R-4

mach



TITANIUM NERO

R-4

400X1200MM

THICKNESS : 9MM

TITANIUM

SERIES



TITANIUM NERO CURVE

R-4

mach



TITANIUM NERO

R-4

400X1200MM

THICKNESS : 9MM

TITANIUM

SERIES



TITANIUM NERO SPIRAL

R-4

mach



TITANIUM CREMA

R-4

400X1200MM

THICKNESS : 9MM

TITANIUM

SERIES



TITANIUM CREMA CURVE

R-4

mach



TITANIUM CREMA

R-4

400X1200MM

THICKNESS : 9MM

TITANIUM

SERIES



TITANIUM CREMA SPIRAL

R-4

mash



TITANIUM TAUPE

R-4

400X1200MM

THICKNESS : 9MM

TITANIUM

SERIES



TITANIUM TAUPE CURVE

R-4

mach



TITANIUM TAUPE


R-4

400X1200MM

THICKNESS : 9MM

TITANIUM

SERIES



TITANIUM TAUPE SPIRAL

R-4

mach



SPINEL GREY MOON

R-5

400X1200MM

THICKNESS : 9MM

SPINEL

SERIES



SPINEL GREY BAR

R-5

mach



SPINEL ANTHRACITE MOON

R-5

400X1200MM

THICKNESS : 9MM

SPINEL


SERIES



SPINEL ANTHRACITE BAR

R-5

mash



SPINEL IVORY MOON

R-5

400X1200MM

THICKNESS : 9MM

SPINEL

SERIES



SPINEL IVORY BAR

R-5

mash



SPINEL BEIGE MOON

R-5

400X1200MM

THICKNESS : 9MM

SPINEL

SERIES



SPINEL BEIGE BAR

R-5

mash



SPINEL NATURAL MOON

R-5

400X1200MM

THICKNESS : 9MM

SPINEL

SERIES



SPINEL NATURAL BAR

R-5

mash



SPINEL GRIGIO MOON

R-5

400X1200MM

THICKNESS : 9MM

SPINEL

SERIES



SPINEL GRIGIO BAR

R-5

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006 / En14411 GROUP Bla	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.3%	ISO-10545-2
Deviation in thickness	± 0.5%	± 4.0%	ISO-10545-2
Straightness in side	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Color difference	Unlterned	No change	ISO-10545-16
Glossiness	As per mfg.	Min 90 %	GLOSSO METER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of repture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1800 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Resistance to surface abrasion (PEI RATING)	As per mfg.	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 5	EN 101
THERMO HYGROMRTRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Null	Null	ISO-10545-10
Thermal expansion(COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
SEFETY PROPERTIES			
Slip resistance	As per mfg.	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15

The information contained in this catalogue is a accurate as possible, but cannot be considered as legally binging. The Company reserves the right to make ant modification that become necessary due to production requirements. Weight colors and dimensions are subject to the inevitable variation typical of the ceramic firing process. the colors are possible to the actual colors, within the limits allowed by the printing process. for technical printing reasons, the colors shown may slight differ from the actual tiles.

PACKAGING DETAILS

Dimensions	Thickness (approx.)	Tiles / Box	Coverage Area / Box	Avg. Weight / Box (approx.)
400x1200mm	9mm	3 pcs	15.5 sq.ft. 1.44 sq.mtr.	28.5 kg

Contact Details

+973 17741155 | +973 32300608 | +973 39432044

 www.hajigallery.com

 info@hajigallery.com

 [hajigallery](https://www.instagram.com/hajigallery)

SHOWROOMS

Seef - Tubli - Segaya - Galali

حاجي جاليري
hajigallery